

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
XmupWg transport=tls_socket,server=suspend-n,address=8000 -Djava.endorsed.dirs=Library/Nucos/tomcat/apache-tomcat-7.0.39/endorsed -Dcatalina.base=Library/Nucos/tomcat/apache-tomcat-7.0.39 -Dcatalina.home=Library/Nucos/tomcat/apache-tomcat-7.0.39 -Djava.io.tmpdir=Library/Nucos/tomcat/apache-tomcat-7.0.39/
temp
2013-05-19 12:28:12.310 INFO [org.nucos.common.startup.Startup] - version info
nucos.name=Nucos
nucos.id=nucos
nucos.version.number=3.13.3
nucos.version.date=16.05.2013
# next version is
# nucos.schema.version=3.13.0002
nucos.schema.version=3.13.0001
```

[illegible]

[illegible]

[illegible]

[illegible]

```

2013-05-19 12:28:31.621 INFO [org.quartz.impl.StdSchedulerFactory] - Using default implementation for ThreadExecutor
2013-05-19 12:28:31.634 INFO [org.quartz.sched.SchedulerSignalImpl] - Initialized Scheduler SignalImpl of type org.quartz.sched.SchedulerSignalImpl
2013-05-19 12:28:31.634 INFO [org.quartz.sched.QuartzScheduler] - Quartz Scheduler v.1.8.6 created.
2013-05-19 12:28:31.641 INFO [org.springframework.scheduling.quartz.LocalDataSourceJobStore] - Using db-based data access location (synchronization).
2013-05-19 12:28:31.666 INFO [org.springframework.scheduling.quartz.LocalDataSourceJobStore] - Removed 0 volatile triggers.
2013-05-19 12:28:31.666 INFO [org.springframework.scheduling.quartz.LocalDataSourceJobStore] - Removed 0 volatile jobs.
2013-05-19 12:28:31.666 INFO [org.springframework.scheduling.quartz.LocalDataSourceJobStore] - JobStoreCMF initialized.
2013-05-19 12:28:31.669 INFO [org.quartz.sched.QuartzScheduler] - Scheduler meta-data: Quartz Scheduler (v1.8.6) 'uclosScheduler' with instanceId 'NON_CLUSTERED'
Scheduler class: 'org.quartz.sched.QuartzScheduler' - running locally.
NOT STARTED.
Currently in standby mode.
Number of jobs executed: 0
Using thread pool 'org.quartz.impl.StdThreadPool' with 10 threads.
Using job-store 'org.springframework.scheduling.quartz.LocalDataSourceJobStore' - which supports persistence and is not clustered.

```

[illegible]

